

From: [Anderson, Dawn](#)
To: [Amy Rusko](#)
Cc: [Frantz, Randy](#); [Marc Hayes](#)
Subject: RE: [EXTERNAL] City of Arlington Review for Grandview North Conditional Use Permit
Date: Wednesday, November 9, 2022 1:53:46 PM
Attachments: [image001.png](#)

This message is from an External Sender

This message came from outside the City of Arlington

Hello Amy,
WSDOT has no comment on this project.

*Thank you,
Dawn M. Anderson
Washington State Dept. of Transportation
Development Services Engineer
Snohomish County
15700 Dayton Ave N
PO Box 330310 MS 240
Seattle, WA 98133
206-440-4712 Office
anderdm@wsdot.wa.gov*

From: Amy Rusko <arusko@arlingtonwa.gov>
Sent: Wednesday, November 9, 2022 9:47 AM
To: Alex VanDuine <avanduine@lwsd.wednet.edu>; Andrea Pellham <apellham@snohd.org>; Hubenthal, Bob (DSHS/FFA) <robert.hubenthal@dshs.wa.gov>; Brad Zahnow <bzahnow@marysvillewa.gov>; Brian Lewis <blewis@asd.wednet.edu>; Chris Holland <cholland@marysvillewa.gov>; Clarissa Stenstrom <clarissa.stenstrom@snoco.org>; Claude Williams <claudew@psc Cleanair.org>; CNG Service <service@cngc.com>; Community Transit <sepa@commtrans.org>; Marks, Derek <dmarks@tulaliptribes-nsn.gov>; Stonington, Daniel (PSP) <daniel.stonington@psp.wa.gov>; Anderson, Dawn <AnderDM@wsdot.wa.gov>; Department of Fish and Wildlife <R4Cplanning@dfw.wa.gov>; DOC Review Team <reviewteam@commerce.wa.gov>; EFSEC <efsec@utc.wa.gov>; Eric Heinitz <efheinitz@doc1.wa.gov>; Erika Harris <eharris@psrc.org>; Erin Kelly <erin.kelly@bnsf.com>; Haylie Miller <hmiller@marysvillewa.gov>; Joseph Norris <joseph.norris@usps.gov>; Julie Davis <jdavis@marysvillewa.gov>; Nelson, Kurt <knelson@tulaliptribes-nsn.gov>; Cooper, Kelly (DOH) <Kelly.Cooper@DOH.WA.GOV>; Kelly McLain <kmclain@agr.wa.gov>; Kerry Lyste <klyste@stillaguamish.com>; Covey, Larry (DSHS/FFA) <larry.covey@dshs.wa.gov>; Lucas Larson <llarson@snohd.org>; Kline, Randy (PARKS) <Randy.Kline@parks.wa.gov>; Sam Barr <sbarr@stillaguamish.com>; SEPA Center <sepacenter@dnr.wa.gov>; SEPA DAHP <sepa@dahp.wa.gov>; SEPA PSCAA <sepa@psc Cleanair.org>; SEPA Review Team <sepa.reviewteam@doh.wa.gov>; Shannon Fleming <shannon.fleming@snoco.org>; Snohomish County Public Works <SPW-ExternalRFR@snoco.org>; Snohomish County PUD <cmmurphy@snopud.com>; Stacey Abbott <stacey.abbott@snoco.org>; Jolivette, Stephanie (DAHP) <stephanie.jolivette@dahp.wa.gov>; Suter, Stephanie (PSP)

<stephanie.suter@psp.wa.gov>; Stephen Posner <sposner@utc.wa.gov>; Steve Rice <srice@snohd.org>; Stillaguamish Tribe of Indians <permitting@stillaguamish.com>; Todd Gray <toddgray@tulaliptribes-nsn.gov>; Waste Management <eniguidula@wm.com>; WSDOT Aviation Land Use Inquiries and Application Submittals <AviationLandUse@WSDOT.WA.GOV>

Cc: Ameresia Lawlis <alawlis@arlingtonwa.gov>

Subject: [EXTERNAL] City of Arlington Review for Grandview North Conditional Use Permit

WARNING: This email originated from outside of WSDOT. Please use caution with links and attachments.

Review Agencies –

The City of Arlington has issued a Notice of Application, SEPA MDNS Decision, and the Notice of Neighborhood Meeting for the Grandview North Smokey Point Conditional Use Permit, PLN #1002.

You can find the project application documents on the city's website at the following link:

<https://www.arlingtonwa.gov/310/Public-Notices-Hearings>

If you have comments for this project, please provide them by the close of the comment period on **November 23, 2022**.

Thank you,

Amy Rusko



Amy Rusko | Planning Manager

Phone: 360-403-3550

Email: arusko@arlingtonwa.gov

Website: www.arlingtonwa.gov

18204 59th Ave NE, Arlington, WA 98223