



Allyson Brooks Ph.D., Director
State Historic Preservation Officer

May 30, 2024

Amy Rusko
City of Arlington Planner
18204 59th Ave NE
Arlington, WA 98223

In future correspondence please refer to:
Project Tracking Code: 2024-01-00131
Property: City of Arlington PLN 1145 Seattle Galvanizing Small Parts & Storage
Re: Archaeology - Concur with Survey; DAHP Permit Required; Monitoring Recommended

Dear Amy Rusko:

The State Historic Preservation Officer (SHPO) and the Department of Archaeology and Historic Preservation (DAHP) has been provided with documentation regarding the above referenced project. In response, we concur with the results and recommendations made in the survey report entitled "Cultural Resources Assessment of the Seattle Galvanizing Small Parts and Storage Project, Arlington, Snohomish County, Washington," and specifically agree with the recommendations on Page 30 (7.0 Conclusions and Recommendations) of the report. Archaeological site 45SN00026 was found within the project area. Therefore, a DAHP Permit must be applied for and granted to the project prior to ground disturbing activities.

We also recommend continued consultation with the concerned Tribes' cultural committees and staff regarding cultural resource issues.

These comments are based on the information available at the time of this review and on behalf of the SHPO in conformance with Washington State law. Should additional information become available, our assessment may be revised.

Thank you for the opportunity to comment on this project and we look forward to receiving the DAHP Permit application. Please ensure that the DAHP Project Number (a.k.a. Project Tracking Code) is shared with any hired cultural resource consultants and is attached to any communications or submitted reports. Should you have any questions, please feel free to contact me.

Sincerely,

Stephanie Jolivette
Local Governments Archaeologist
(360) 628-2755
Stephanie.Jolivette@dahp.wa.gov



From: [Jolivette, Stephanie \(DAHP\)](#)
To: [Amy Rusko](#)
Cc: [Richard Young](#); ["Kerry Lyste" \(klyste@stillaguamish.com\)](#); [sbarr@stillaguamish.com](#)
Subject: DAHP Project 2024-01-00131 RE: City of Arlington PLN 1145 Seattle Galvanizing Small Parts & Storage
Date: Thursday, May 30, 2024 1:48:19 PM
Attachments: [image013.png](#)
[image014.png](#)
[image015.png](#)
[image016.png](#)
[image005.png](#)
[image007.png](#)
[image009.png](#)
[2024-01-00131_DAHP_Permit_Required_PLN1145_SeattleGalvanizing.pdf](#)

This message is from an External Sender

This message came from outside the City of Arlington

Hello Amy Rusko,

The DAHP has been provided with a copy of the cultural resources survey report and archaeological site inventory form for the Seattle Galvanizing Small Parts & Storage Project (PLN 1145). Please see the attached letter from the DAHP concurring with the results and recommendations in the survey report. Specifically, the DAHP requires that a DAHP Permit be applied for and granted prior to the project moving forward.

Please note that any interested Tribes may have additional recommendations.

Feel free to contact me if you have questions about these requirements.

Best,
Stephanie



Stephanie Jolivette (*She/Her/Hers*)
Local Government Archaeologist

Email: Stephanie.Jolivette@dahp.wa.gov
Mobile: (360) 628-2755 | Main Office: (360) 586-3065
Hours: 8AM - 4:30PM Monday to Friday
Physical Address: 1110 Capitol Way South Suite 30, Olympia, WA 98501
Mailing Address: PO Box 48343, Olympia, WA 98504-8343

www.dahp.wa.gov


From: Jolivette, Stephanie (DAHP)
Sent: Thursday, January 4, 2024 2:26 PM
To: 'Amy Rusko' <arusko@arlingtonwa.gov>
Cc: Richard Young <ryoung@tulaliptribes-nsn.gov>; 'Kerry Lyste' (klyste@stillaguamish.com) <klyste@stillaguamish.com>; sbarr@stillaguamish.com
Subject: DAHP Project 2024-01-00131 RE: City of Arlington - Notice of Application

Hello Amy Rusko,

Thank you for contacting the DAHP about Seattle Galvanizing Small Parts & Storage project (PLN 1145). Please see the attached letter from the DAHP recommending an archaeological survey of the project area prior to ground disturbing activities. The project is currently within the recorded boundaries of a precontact period archaeological site, the purpose of the survey is to establish if the site still exists. Please see the attached letter for details.

Feel free to contact me if you have questions about these recommendations.

Best,
Stephanie



Stephanie Jolivette (*She/Her/Hers*)

Local Government Archaeologist

Email: Stephanie.Jolivette@dahp.wa.gov

Mobile: (360) 628-2755 | Main Office: (360) 586-3065

Hours: 8AM - 4:30PM Monday to Friday

Physical Address: 1110 Capitol Way South Suite 30, Olympia, WA 98501

Mailing Address: PO Box 48343, Olympia, WA 98504-8343

www.dahp.wa.gov

From: Amy Rusko <arusko@arlingtonwa.gov>
Sent: Thursday, December 21, 2023 9:51 AM
To: Alex VanDuine <avanduin@lwsd.wednet.edu>; Pellham, Andrea <apellham@snohd.org>; Antonia Weiss <antonia.weiss@co.snohomish.wa.us>; Hubenthal, Bob (DSHS/FFA)

<robert.hubenthal@dshs.wa.gov>; Brad Ball <brad.ball@co.snohomish.wa.us>; Brad Zahnow <bzahnow@marysvillewa.gov>; Brian Lewis <blewis@asd.wednet.edu>; Chris Holland <cholland@marysvillewa.gov>; Clarissa Stenstrom <clarissa.stenstrom@snoco.org>; Claude Williams <claudew@psccleanair.org>; CNG Service <service@cngc.com>; Community Transit <sepa@commtrans.org>; Ong, Corinna <corinna.ong@co.snohomish.wa.us>; D Marks <dmarks@tulaliptribes-nsn.gov>; Stonington, Daniel (PSP) <daniel.stonington@psp.wa.gov>; Klein, Darin M. (DOC) <darin.klein@doc1.wa.gov>; Anderson, Dawn <AnderDM@wsdot.wa.gov>; DFW R4Cplanning <R4Cplanning@dfw.wa.gov>; COM GMU Review Team <reviewteam@commerce.wa.gov>; EFSEC (EFSEC) <efsec@efsec.wa.gov>; Eric Heinitz <efheinitz@doc1.wa.gov>; Erika Harris <eharris@psrc.org>; Erin Kelly <erin.kelly@bnsf.com>; Haylie Miller <hmillier@marysvillewa.gov>; Joseph Norris <joseph.norris@usps.gov>; Julie Davis <jdavis@marysvillewa.gov>; K Nelson <knelson@tulaliptribes-nsn.gov>; Cooper, Kelly (DOH) <Kelly.Cooper@DOH.WA.GOV>; McLain, Kelly (AGR) <KAardal@agr.wa.gov>; Kerry Lyste <klyste@stillaguamish.com>; Krista Gessner <kgessner@marysville.gov>; Covey, Larry (DSHS/FFA) <larry.covey@dshs.wa.gov>; Lucas Larson <llarson@snohd.org>; Alam, Nazmul <AlamN@wsdot.wa.gov>; Kline, Randy (PARKS) <Randy.Kline@PARKS.WA.GOV>; Sam Barr <sbarr@stillaguamish.com>; DNR RE SEPACENTER <SEPACENTER@dnr.wa.gov>; DAHP SEPA <sepa@dahp.wa.gov>; SEPA PSCAA <sepa@psccleanair.org>; DOH EPH SEPA <SEPA.reviewteam@doh.wa.gov>; Snohomish County Public Works <SPW-ExternalRFR@snoco.org>; Snohomish County PUD <cmmurphy@snopud.com>; Stacey Abbott <stacey.abbott@snoco.org>; Jolivette, Stephanie (DAHP) <stephanie.jolivette@dahp.wa.gov>; Steve Rice <srice@snohd.org>; Stillaguamish Tribe <sepa@stillaguamish.com>; Stillaguamish Tribe of Indians <permitting@stillaguamish.com>; Todd Gray <toddgray@tulaliptribes-nsn.gov>; Waste Management <eniguidula@wm.com>; WSDOT Aviation <AviationLandUse@wsdot.wa.gov>
Cc: Ameresia Lawlis <alawlis@arlingtonwa.gov>
Subject: City of Arlington - Notice of Application

External Email

Review Agencies –

The City of Arlington has issued a Notice of Application for the Seattle Galvanizing Small Parts & Storage Special Use Permit – PLN #1145. The SEPA Determination will be issued later with an additional comment period.

To review the submittal documents please use this link:

<https://www.arlingtonwa.gov/310/Public-Notices-Hearings> and scroll down to the project labeled Seattle Galvanizing Small Parts & Storage.

The City invites affected agencies, tribes, and special districts to review the documents for potential impacts and provide the City Staff contact with any comments by the close of the comment period as indicated on the Notice of Application. Agency comments are to be submitted to the City Staff Contact via email or through the postal service. Regardless of the method, the City asks that Notice of Application comments be provided on their respective

agency's formal letterhead.

Once received, comments will be made part of the official record on file with the City. After the close of the comment period, the City will review all comments received, and may, at its discretion, ask the applicant for additional information or place conditions within the SEPA Determination that is yet to be issued. Please note that the City will only accept *written* Notice of Application comments. Following City review, all comments received within the comment period will be forwarded directly to the project applicant.

The due date for this review is **5:00 pm on Thursday, January 4, 2024.**

Sincerely,
Amy Rusko



Amy Rusko | Planning Manager

Phone: 360-403-3550

Email: arusko@arlingtonwa.gov

Website: www.arlingtonwa.gov

18204 59th Ave NE, Arlington, WA 98223

From: [DAHP SEPA](#)
To: [Amy Rusko](#); [Jolivette, Stephanie \(DAHP\)](#)
Cc: [Richard Young](#); ["Kerry Lyste" \(klyste@stillaguamish.com\)](#); [sbarr@stillaguamish.com](#)
Subject: RE: DAHP Project 2024-01-00131 RE: City of Arlington - Notice of Application
Date: Tuesday, January 16, 2024 9:51:46 AM
Attachments: [image010.png](#)
[image011.png](#)
[image012.png](#)
[image013.png](#)
[image004.png](#)
[image007.png](#)
[image008.png](#)


This message is from an External Sender

This message came from outside the City of Arlington

Thanks Amy,

Much appreciated.

Best,
Stephanie



Stephanie Jolivette (*She/Her/Hers*)

Local Government Archaeologist

Email: Stephanie.Jolivette@dahp.wa.gov

Mobile: (360) 628-2755 | Main Office: (360) 586-3065

Hours: 8AM - 4:30PM Monday to Friday

Physical Address: 1110 Capitol Way South Suite 30, Olympia, WA 98501

Mailing Address: PO Box 48343, Olympia, WA 98504-8343

www.dahp.wa.gov

From: Amy Rusko <arusko@arlingtonwa.gov>

Sent: Thursday, January 4, 2024 4:19 PM

To: Jolivette, Stephanie (DAHP) <stephanie.jolivette@dahp.wa.gov>

Cc: Richard Young <ryoung@tulaliptribes-nsn.gov>; 'Kerry Lyste' (klyste@stillaguamish.com) <klyste@stillaguamish.com>; sbarr@stillaguamish.com

Subject: RE: DAHP Project 2024-01-00131 RE: City of Arlington - Notice of Application

External Email

Stephanie,

Thank you for your comments. I will provide the Applicant and Property Owner with this requirement tomorrow when I send them the other comments that were received. I will not issue the SEPA Determination until the City has received the Archaeological Survey for the property.

Sincerely,
Amy Rusko



Amy Rusko | Planning Manager
Phone: 360-403-3550
Email: arusko@arlingtonwa.gov
Website: www.arlingtonwa.gov
18204 59th Ave NE, Arlington, WA 98223

From: Jolivette, Stephanie (DAHP) <stephanie.jolivette@dahp.wa.gov>
Sent: Thursday, January 4, 2024 2:26 PM
To: Amy Rusko <arusko@arlingtonwa.gov>
Cc: Richard Young <ryoung@tulaliptribes-nsn.gov>; 'Kerry Lyste' (<klyste@stillaguamish.com>)
<klyste@stillaguamish.com>; sbarr@stillaguamish.com
Subject: DAHP Project 2024-01-00131 RE: City of Arlington - Notice of Application

This message is from an External Sender

This message came from outside the City of Arlington


Hello Amy Rusko,

Thank you for contacting the DAHP about Seattle Galvanizing Small Parts & Storage project (PLN 1145). Please see the attached letter from the DAHP recommending an archaeological survey of the project area prior to ground disturbing activities. The project is currently within the recorded boundaries of a precontact period archaeological site, the purpose of the survey is to establish if the site still exists. Please see the attached letter for details.

Feel free to contact me if you have questions about these recommendations.

Best,

Stephanie



Stephanie Jolivette (*She/Her/Hers*)

Local Government Archaeologist

Email: Stephanie.Jolivette@dahp.wa.gov

Mobile: (360) 628-2755 | Main Office: (360) 586-3065

Hours: 8AM - 4:30PM Monday to Friday

Physical Address: 1110 Capitol Way South Suite 30, Olympia, WA 98501

Mailing Address: PO Box 48343, Olympia, WA 98504-8343

www.dahp.wa.gov

From: Amy Rusko <arusko@arlingtonwa.gov>

Sent: Thursday, December 21, 2023 9:51 AM

To: Alex VanDuine <avanduine@lwsd.wednet.edu>; Pellham, Andrea <apellham@snohd.org>; Antonia Weiss <antonia.weiss@co.snohomish.wa.us>; Hubenthal, Bob (DSHS/FFA) <robert.hubenthal@dshs.wa.gov>; Brad Ball <brad.ball@co.snohomish.wa.us>; Brad Zahnow <bzahnow@marysvillewa.gov>; Brian Lewis <blewis@asd.wednet.edu>; Chris Holland <cholland@marysvillewa.gov>; Clarissa Stenstrom <clarissa.stenstrom@snoco.org>; Claude Williams <claudew@psc Cleanair.org>; CNG Service <service@cngc.com>; Community Transit <sepa@commtrans.org>; Ong, Corinna <corinna.ong@co.snohomish.wa.us>; D Marks <dmarks@tulaliptribes-nsn.gov>; Stonington, Daniel (PSP) <daniel.stonington@psp.wa.gov>; Klein, Darin M. (DOC) <darin.klein@doc1.wa.gov>; Anderson, Dawn <AnderDM@wsdot.wa.gov>; DFW R4Cplanning <R4Cplanning@dfw.wa.gov>; COM GMU Review Team <reviewteam@commerce.wa.gov>; EFSEC (EFSEC) <efsec@efsec.wa.gov>; Eric Heinitz <efheinitz@doc1.wa.gov>; Erika Harris <eharris@psrc.org>; Erin Kelly <erin.kelly@bnsf.com>; Haylie Miller <hmillier@marysvillewa.gov>; Joseph Norris <joseph.norris@usps.gov>; Julie Davis <jdavis@marysvillewa.gov>; K Nelson <knelson@tulaliptribes-nsn.gov>; Cooper, Kelly (DOH) <Kelly.Cooper@DOH.WA.GOV>; McLain, Kelly (AGR) <KAardal@agr.wa.gov>; Kerry Lyste <klyste@stillaguamish.com>; Krista Gessner <kgessner@marysville.gov>; Covey, Larry (DSHS/FFA) <larry.covey@dshs.wa.gov>; Lucas Larson <llarson@snohd.org>; Alam, Nazmul <AlamN@wsdot.wa.gov>; Kline, Randy (PARKS) <Randy.Kline@PARKS.WA.GOV>; Sam Barr <sbarr@stillaguamish.com>; DNR RE SEPACENTER <SEPACENTER@dnr.wa.gov>; DAHP SEPA <sepa@dahp.wa.gov>; SEPA PSCAA <sepa@psc Cleanair.org>; DOH EPH SEPA <SEPA.reviewteam@doh.wa.gov>; Snohomish County Public Works <SPW-ExternalRFR@snoco.org>; Snohomish County PUD <cmmurphy@sнопud.com>; Stacey Abbott <stacey.abbott@snoco.org>; Jolivette, Stephanie (DAHP) <stephanie.jolivette@dahp.wa.gov>; Steve Rice <srice@snohd.org>; Stillaguamish Tribe <sepa@stillaguamish.com>; Stillaguamish Tribe of Indians <permitting@stillaguamish.com>; Todd Gray <toddgray@tulaliptribes-nsn.gov>; Waste Management <eniguidula@wm.com>; WSDOT Aviation <AviationLandUse@wsdot.wa.gov>

Cc: Ameresia Lawlis <alawlis@arlingtonwa.gov>

Subject: City of Arlington - Notice of Application

External Email

Review Agencies –

The City of Arlington has issued a Notice of Application for the Seattle Galvanizing Small Parts & Storage Special Use Permit – PLN #1145. The SEPA Determination will be issued later with an additional comment period.

To review the submittal documents please use this link:

<https://www.arlingtonwa.gov/310/Public-Notices-Hearings> and scroll down to the project labeled Seattle Galvanizing Small Parts & Storage.

The City invites affected agencies, tribes, and special districts to review the documents for potential impacts and provide the City Staff contact with any comments by the close of the comment period as indicated on the Notice of Application. Agency comments are to be submitted to the City Staff Contact via email or through the postal service. Regardless of the method, the City asks that Notice of Application comments be provided on their respective agency's formal letterhead.

Once received, comments will be made part of the official record on file with the City. After the close of the comment period, the City will review all comments received, and may, at its discretion, ask the applicant for additional information or place conditions within the SEPA Determination that is yet to be issued. Please note that the City will only accept *written* Notice of Application comments. Following City review, all comments received within the comment period will be forwarded directly to the project applicant.

The due date for this review is **5:00 pm on Thursday, January 4, 2024.**

Sincerely,

Amy Rusko



Amy Rusko | Planning Manager

Phone: 360-403-3550

Email: arusko@arlingtonwa.gov

Website: www.arlingtonwa.gov

18204 59th Ave NE, Arlington, WA 98223



Allyson Brooks Ph.D., Director
State Historic Preservation Officer

January 4, 2024

Amy Rusko
City of Arlington Planner
18204 59th Ave NE
Arlington, WA 98223

In future correspondence please refer to:
Project Tracking Code: 2024-01-00131
Property: City of Arlington PLN 1145 Seattle Galvanizing Small Parts & Storage
Re: Archaeology - Survey Requested; Testing for Presence of Site 45SN00026

Dear Amy Rusko:

Thank you for contacting the Washington State Historic Preservation Officer (SHPO) and Department of Archaeology and Historic Preservation (DAHP) and providing documentation regarding the above referenced project. As a result of our review, our professional opinion is that the project area is within the previously recorded boundaries of precontact period archaeological site 45SN00026. The scale of the proposed ground disturbing actions would destroy any archaeological resources present. Therefore, we recommend a professional archaeological survey of the project area be conducted prior to ground disturbing activities. It is unknown at this time if archaeology remains on the property, as an official subsurface survey of the site was never undertaken, and subsequent disturbance has occurred. Therefore, the DAHP will allow the survey to be conducted prior to DAHP Permitting. A DAHP Permit will be required if the site is identified within the project impact area.

The archaeological survey may require deep testing techniques, such as mechanical trenching or coring, if significant quantities of fill have been added to the property. Archaeological survey techniques need to account for the full depth of any planned ground disturbing activities, including site prep, excavation, trenching, landscaping, directional boring, etc...

We also recommend continued consultation with the concerned Tribes' cultural committees and staff regarding cultural resource issues.

These comments are based on the information available at the time of this review and on behalf of the SHPO in conformance with Washington State law. Should additional information become available, our assessment may be revised.

Thank you for the opportunity to comment on this project and we look forward to receiving the survey report. The survey report should be uploaded directly into the DAHP Online WISAARD system by the cultural resource consultant to expedite DAHP review. Please ensure that the DAHP Project Number (a.k.a. Project Tracking Code) is shared with any hired cultural resource consultants and is attached to any communications or submitted reports. Should you have any questions, please feel free to contact me.



Sincerely,

A handwritten signature in blue ink, appearing to read "Stephanie Jolivette". The signature is fluid and cursive, with a large loop at the end.

Stephanie Jolivette
Local Governments Archaeologist
(360) 628-2755
Stephanie.Jolivette@dahp.wa.gov



From: [Amy Rusko](#)
To: [Jolivette, Stephanie \(DAHP\)](#)
Cc: [Richard Young](#); "[Kerry Lyste](#)" (klyste@stillaguamish.com); sbarr@stillaguamish.com
Subject: RE: DAHP Project 2024-01-00131 RE: City of Arlington - Notice of Application
Date: Thursday, January 4, 2024 4:19:00 PM
Attachments: [image004.png](#)
[image007.png](#)
[image008.png](#)
[image009.png](#)

Stephanie,

Thank you for your comments. I will provide the Applicant and Property Owner with this requirement tomorrow when I send them the other comments that were received. I will not issue the SEPA Determination until the City has received the Archaeological Survey for the property.

Sincerely,
Amy Rusko



Amy Rusko | Planning Manager
Phone: 360-403-3550
Email: arusko@arlingtonwa.gov
Website: www.arlingtonwa.gov
18204 59th Ave NE, Arlington, WA 98223

From: Jolivette, Stephanie (DAHP) <stephanie.jolivette@dahp.wa.gov>
Sent: Thursday, January 4, 2024 2:26 PM
To: Amy Rusko <arusko@arlingtonwa.gov>
Cc: Richard Young <ryoung@tulaliptribes-nsn.gov>; 'Kerry Lyste' (klyste@stillaguamish.com) <klyste@stillaguamish.com>; sbarr@stillaguamish.com
Subject: DAHP Project 2024-01-00131 RE: City of Arlington - Notice of Application

This message is from an External Sender

This message came from outside the City of Arlington


Hello Amy Rusko,

Thank you for contacting the DAHP about Seattle Galvanizing Small Parts & Storage project (PLN 1145). Please see the attached letter from the DAHP recommending an archaeological survey of the project area prior to ground disturbing activities. The project is currently within the recorded boundaries of a precontact period archaeological site,

the purpose of the survey is to establish if the site still exists. Please see the attached letter for details.

Feel free to contact me if you have questions about these recommendations.

Best,
Stephanie



Stephanie Jolivette (*She/Her/Hers*)
Local Government Archaeologist

Email: Stephanie.Jolivette@dahp.wa.gov
Mobile: (360) 628-2755 | Main Office: (360) 586-3065
Hours: 8AM - 4:30PM Monday to Friday
Physical Address: 1110 Capitol Way South Suite 30, Olympia, WA 98501
Mailing Address: PO Box 48343, Olympia, WA 98504-8343

www.dahp.wa.gov

From: Amy Rusko <arusko@arlingtonwa.gov>

Sent: Thursday, December 21, 2023 9:51 AM

To: Alex VanDuine <avanduin@lwsd.wednet.edu>; Pellham, Andrea <apellham@snohd.org>; Antonia Weiss <antonia.weiss@co.snohomish.wa.us>; Hubenthal, Bob (DSHS/FFA) <robert.hubenthal@dshs.wa.gov>; Brad Ball <brad.ball@co.snohomish.wa.us>; Brad Zahnow <bzahnow@marysvillewa.gov>; Brian Lewis <blewis@asd.wednet.edu>; Chris Holland <cholland@marysvillewa.gov>; Clarissa Stenstrom <clarissa.stenstrom@snoco.org>; Claude Williams <claudew@pscaneair.org>; CNG Service <service@cngc.com>; Community Transit <sepa@commtrans.org>; Ong, Corinna <corinna.ong@co.snohomish.wa.us>; D Marks <dmarks@tulaliptribes-nsn.gov>; Stonington, Daniel (PSP) <daniel.stonington@psp.wa.gov>; Klein, Darin M. (DOC) <darin.klein@doc1.wa.gov>; Anderson, Dawn <AnderDM@wsdot.wa.gov>; DFW R4Cplanning <R4Cplanning@dfw.wa.gov>; COM GMU Review Team <reviewteam@commerce.wa.gov>; EFSEC (EFSEC) <efsec@efsec.wa.gov>; Eric Heinitz <efheinitz@doc1.wa.gov>; Erika Harris <eharris@psrc.org>; Erin Kelly <erin.kelly@bnsf.com>; Haylie Miller <hmillier@marysvillewa.gov>; Joseph Norris <joseph.norris@usps.gov>; Julie Davis <jdavis@marysvillewa.gov>; K Nelson <knelson@tulaliptribes-nsn.gov>; Cooper, Kelly (DOH) <Kelly.Cooper@DOH.WA.GOV>; McLain, Kelly (AGR) <KAardal@agr.wa.gov>; Kerry Lyste <klyste@stillaguamish.com>; Krista Gessner <kgessner@marysville.gov>; Covey, Larry (DSHS/FFA) <larry.covey@dshs.wa.gov>; Lucas Larson <llarson@snohd.org>; Alam, Nazmul <AlamN@wsdot.wa.gov>; Kline, Randy (PARKS) <Randy.Kline@PARKS.WA.GOV>; Sam Barr <sbarr@stillaguamish.com>; DNR RE SEPACENTER <SEPACENTER@dnr.wa.gov>; DAHP SEPA

<sepa@dahp.wa.gov>; SEPA PSCAA <sepa@psc Cleanair.org>; DOH EPH SEPA <SEPA.reviewteam@doh.wa.gov>; Snohomish County Public Works <SPW-ExternalRFR@snoco.org>; Snohomish County PUD <cmmurphy@snopud.com>; Stacey Abbott <stacey.abbott@snoco.org>; Jolivette, Stephanie (DAHP) <stephanie.jolivette@dahp.wa.gov>; Steve Rice <srice@snohd.org>; Stillaguamish Tribe <sepa@stillaguamish.com>; Stillaguamish Tribe of Indians <permitting@stillaguamish.com>; Todd Gray <toddgray@tulaliptribes-nsn.gov>; Waste Management <eniguidula@wm.com>; WSDOT Aviation <AviationLandUse@wsdot.wa.gov>
Cc: Ameresia Lawlis <alawlis@arlingtonwa.gov>
Subject: City of Arlington - Notice of Application

External Email

Review Agencies –

The City of Arlington has issued a Notice of Application for the Seattle Galvanizing Small Parts & Storage Special Use Permit – PLN #1145. The SEPA Determination will be issued later with an additional comment period.

To review the submittal documents please use this link:

<https://www.arlingtonwa.gov/310/Public-Notices-Hearings> and scroll down to the project labeled Seattle Galvanizing Small Parts & Storage.

The City invites affected agencies, tribes, and special districts to review the documents for potential impacts and provide the City Staff contact with any comments by the close of the comment period as indicated on the Notice of Application. Agency comments are to be submitted to the City Staff Contact via email or through the postal service. Regardless of the method, the City asks that Notice of Application comments be provided on their respective agency's formal letterhead.

Once received, comments will be made part of the official record on file with the City. After the close of the comment period, the City will review all comments received, and may, at its discretion, ask the applicant for additional information or place conditions within the SEPA Determination that is yet to be issued. Please note that the City will only accept *written* Notice of Application comments. Following City review, all comments received within the comment period will be forwarded directly to the project applicant.

The due date for this review is **5:00 pm on Thursday, January 4, 2024.**

Sincerely,

Amy Rusko



Amy Rusko | Planning Manager

Phone: 360-403-3550

Email: arusko@arlingtonwa.gov

Website: www.arlingtonwa.gov

18204 59th Ave NE, Arlington, WA 98223