

From: [Amy Rusko](#)
To: [Rem Malloy](#)
Subject: RE: hot dip galvanizing process plant at 18520 67th Ave
Date: Tuesday, June 18, 2024 4:06:00 PM
Attachments: [image001.png](#)
[20240614_PLN1145_SeattleGalvanizingSmallPart_NOPH.pdf](#)

H.R. –

Thank you for your comments and concerns regarding the Seattle Galvanizing Small Parts and Storage Special Use Permit. You are now considered a Party of Record for the project and your comments have been included in the Hearing Examiner staff report. The city issued a Notice of Public Hearing for the project today. You will be receiving a second email later today with that notice and if you live within 500 feet of the project property you will receive a post card notice of the hearing as well.

If you would like to attend the Public Hearing please do so, the link to the meeting is on the notice. The city website will be updated by 5:00 pm on June 19, 2024 with all the public hearing exhibits, along with the staff report. The following is the link to the website:
<https://www.arlingtonwa.gov/310/Public-Notices-Hearings>.

Sincerely,
Amy Rusko



Amy Rusko | Planning Manager
Phone: 360-403-3550
Email: arusko@arlingtonwa.gov
Website: www.arlingtonwa.gov
18204 59th Ave NE, Arlington, WA 98223

From: Rem Malloy <Rem@italy4real.com>
Sent: Tuesday, June 18, 2024 10:47 AM
To: Amy Rusko <arusko@arlingtonwa.gov>
Subject: hot dip galvanizing process plant at 18520 67th Ave

This message is from an External Sender

This message came from outside the City of Arlington

Amy Rusko ,

I am a resident of Gleneagle and it has been brought to my attention that a proposal has been submitted to the City of Arlington to establish a hot dip galvanizing process plant at 18520 67th Ave,

right at the entrance of the Glenn Eagle residential area.

As you may know; Hot dip galvanization produces toxic fumes. Inhalation of these fumes can lead to long-term health problems, as the process can cause both lead and zinc from the galvanized steel to vaporize. Exposure to lead is particularly dangerous and is known to cause numerous serious health issues, including cancer. The proximity of the proposed plant to the Glenn Eagle residences is alarming.

This location is unsuitable for metal chemical processing activities, especially given its placement in the heart of a residential area. I am requesting that this plan be reconsidered and ultimately declined.

H.R. Malloy