

Critical Areas Evaluation Application

Prior to the city's consideration of any proposed activity found not to be exempt under AMC 20.93.250, the applicant must submit to the Department a completed form identifying suspected critical areas on, and within 300 feet, of the site.

For Instruction/Checklist, please click [here](#)

Project Information

- * Project Name:
- * Description of Project:

Contact Information

Owner Information

- * Owner Name:
- * Office No.:
- * Email Address:
- * Cell No.:
- * Mailing Address:
- * City, State, Zip:

Owner Agent Information

- Owner Agent Name:
- Office No.:
- Email Address:
- Cell No.:
- Mailing Address:
- City, State, Zip:

Property Access Authorization

I am the owner of the subject property, and I grant permission to City of Arlington staff to enter the site to verify the presence or absence of critical areas and perform inspections of work proposed by this application.

- * **Print (owner/) Name:** _____
- * **Date:** _____

Critical Areas Checklist

Please answer the following questions concerning Critical Area indicators located on or within 300 feet of the review area:

1. Are you aware of any environmental documentation that has been prepared related to critical areas that includes the subject area? Attach any existing documentation.	Yes No Unknown
2. Have any critical areas previously been identified onsite through a recorded Critical Area Tract or Native Growth Protection Area Easement (NPGA)?	Yes No Unknown
3. Is there vegetation that is associated with wetlands (such as cattail, buttercup, yellow iris, reed canary grass, bulrush, skunk cabbage, water lily, or other wetland plants)?	Yes No Unknown
4. Are there areas where the ground is inundated or saturated with water?	Yes No Unknown
5. Are there any surface waters including streams, intermittent streams, drainage channels, ditches, ponds, etc.?	Yes No Unknown
6. Are there any State or Federally listed sensitive, endangered, or threatened species and habitats?	Yes No Unknown
7. Are there any slopes of 15% or greater?	Yes No Unknown
8. Is there evidence of erosion, unstable soil, or cracks on hillsides?	Yes No Unknown
9. Is there a well on-site or is the subject area located within a wellhead protection area?	Yes No Unknown
10. Is the project area located within a low flow/closed stream watershed (as designated by the Department of Ecology)?	Yes No Unknown
11. Is the project located within the 100-year flood plain, shown on flood insurance maps published by FEMA, or on other local flood maps?	Yes No Unknown
12. I acknowledge that Cultural Resources will be evaluated later in the process, no portion of the Critical Areas Evaluation will deem the proposed project to be outside an identified or probable cultural resource site.	Yes

Provide any additional details or comments:

Acknowledgement I, the undersigned, request City of Arlington Community and Economic Development Department to determine if critical area indicators are present onsite or within 300 feet of the project area. The above information is complete and accurate to the best of my knowledge. I understand that any changes to the above information must be reported immediately to the City of Arlington Community and Economic Development Department.

- * **Print (owner/agent) Name:** _____
- * **Date:** _____