


**PLANTING SCHEDULE**

SYM	QTY	SCIENTIFIC/COMMON NAME	SIZE	MATURE HEIGHT	REMARKS
<u>TREES</u>					
	10	Acer platanoides 'Crimson Sentry' / CRIMSON SENTRY MAPLE	2" CAL; B&B/ 16" FABRIC BAG	HT: 25' SPREAD: 15'	FULL & WELL BRANCHED; STRAIGHT SINGLE CENTRAL LEADER & SYMMETRICAL BRANCHING HABIT W/ 6' BRANCH HT
	4	Amelanchier grandiflora 'Autumn Brilliance' / AUTUMN BRILLIANCE SERVICEBERRY	2" CAL; B&B/ 16" FABRIC BAG	HT: 25' SPREAD: 20'	FULL & WELL BRANCHED; STRAIGHT SINGLE CENTRAL LEADER & SYMMETRICAL BRANCHING HABIT W/ 6' BRANCH HT
	7	Ginkgo biloba 'Autumn Gold' / AUTUMN GOLD GINKGO	2" CAL; B&B/ 16" FABRIC BAG	HT: 45' SPREAD: 45'	FULL & WELL BRANCHED; STRAIGHT SINGLE CENTRAL LEADER & SYMMETRICAL BRANCHING HABIT W/ 6' BRANCH HT
	10	Zelkova serrata 'Green Vase' / GREEN VASE JAPANESE ZELKOVA	2" CAL; B&B/ 16" FABRIC BAG	HT: 45' SPREAD: 35'	FULL & WELL BRANCHED; STRAIGHT SINGLE CENTRAL LEADER & SYMMETRICAL BRANCHING HABIT W/ 6' BRANCH HT
<u>SEED &amp; MULCH</u>					
	5,650 SF	LOW GROW LAWN SEEDING			SEE SPECS
	1,030 SF	MULCH			3" DEPTH BARK MULCH PER DETAIL 1 ON SHEET LP1.3

**IRRIGATION SCHEDULE**



NOTE TO REVIEWER: PRELIMINARY IRRIGATION SCHEDULE INCLUDED FOR REFERENCE. DETAILED IRRIGATION PLANS, INCLUDING MAIN AND LATERAL LINE LAYOUT, AUTOMATIC CONTROLLER LOCATION, AND AUTOMATIC CONTROL VALVES TO BE PROVIDED AT THE NEXT SUBMITTAL.

**LANDSCAPE LEGEND**

	DETAIL IDENTIFICATION		ASPHALT PAVING
	SHEET IDENTIFICATION		RIGHT-OF-WAY
	RIGHT-OF-WAY		ROOT BARRIER, 15' LENGTH CENTERED ON EACH TREE
	6'-0" HEIGHT BLACK CHAIN LINK FENCE		IRRIGATION POINT OF CONNECTION; SEE DETAIL 2 ON SHEET LP1.4

**LANDSCAPE NOTES**

- BRING ANY DISCREPANCIES WITH THE DWGS AND/OR SPECS & SITE CONDITIONS TO THE ATTENTION OF OWNER'S REP PRIOR TO PROCEEDING WITH CONSTRUCTION.
- LOCATE UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
- VERIFY ALL GRADES WITH THE OWNER'S REP BEFORE COMMENCEMENT OF PLANTING, & SEEDING:
  - ALL GRADES SHALL FLOW SMOOTHLY INTO ONE ANOTHER WITH NO ABRUPT TRANSITIONS AND PRODUCE POSITIVE STORMWATER DRAINAGE.
  - THE CONTRACTOR IS RESPONSIBLE FOR ANY ADVERSE DRAINAGE CONDITIONS THAT MAY AFFECT PLANT GROWTH UNLESS THE CONTRACOR CONTACTS THE OWNER IMMEDIATELY, INDICATING ANY POSSIBLE PROBLEM.
- TREE LOCATIONS SHOWN ON PLANTING PLAN ARE APPROXIMATE; STAKE ALL TREE LOCATIONS IN THE FIELD FOR OWNERS REP REVIEW AND APPROVAL PRIOR TO PLANTING THE TREES.
- ENSURE LAWN AND PLANT MATERIAL RECEIVES ADEQUATE WATER THROUGHOUT ONE (1) YEAR GUARANTEE PERIOD FOR PLANT ESTABLISHMENT, SEE SPECS.
- ALL STREET TREES SHALL BE INSTALLED WITH APPROVED ROOT BARRIERS AND DEEP-WATER TUBES (TWO PER TREE, SEE DETAIL 4 ON SHEET L1.5).
- TREE LOCATIONS SHOWN ON PLANTING PLANS (SHEETS L1.1 & L1.2) ARE APPROXIMATE; IF FIELD ADJUSTMENTS ARE NECESSARY THE FOLLOWING MIN SETBACKS FOR CENTERLINE OF TREE TRUNKS TO EDGE OF DRIVEWAY, FACE OF CURB OR INTERSECTION AND TO CENTER OF ALL OTHERS SHOWN APPLY:
 

A. STREET LIGHTS	15'
B. DRIVEWAYS	15'
C. INTERSECTIONS	30'
D. UNDERGROUND SEWER & WATER LINES	5'
E. UNDERGROUND GAS LINES	1'
F. UNDERGROUND HIGH PRESSURE GAS LINES	3'
G. UTILITY/POWER POLES	5'
H. UNDERGROUND FIBER CABLE	2'
I. OTHER TREES	15'
J. FACE OF CURB	3.5'

**LANDSCAPE ABBREVIATIONS**

&	AND	MAX	MAXIMUM
B&B	BALLED AND BURLAPPED	MIN	MINIMUM
CAL	CALIPER	OC	ON CENTER
C	CENTER LINE	QTY	QUANTITY
⊕LR	CLEAR	SPECS	SPECIFICATIONS
CMU	CONCRETE MASONRY UNIT	SF	SQUARE FEET
DCVA	DOUBLE CHECK VALVE ASSEMBLY	SYM	SYMBOL
DWGS	DRAWINGS	TYP	TYPICAL
EX	EXISTING	REP	REPRESENTATIVE
HT	HEIGHT		

**HBB**  
LANDSCAPE ARCHITECTURE  
2101 4th Ave UNIT 1800,  
SEATTLE, WASHINGTON 98121  
206.682.3051 phone  
206.682.3245 fax



MARK	DATE	DESCRIPTION

DESIGN: MB  
DRAWN: SS  
CHECK: DWK  
JOB NO: 2023-23  
DATE: 9/22/2023

SNOPUD NORTH COUNTY ENERGY STORAGE  
17601 59TH AVE NE  
ARLINGTON, WA 98223  
PRELIMINARY LANDSCAPE SCHEDULES,  
LEGEND, NOTES & ABBREVIATIONS

SHEET:  
**L1.0**

City of Arlington PLN#1151









